


# **EBI** LIFTBOATS

## 24' Wide X 65' (B) Long Hull

One of several configurations of elevating boats owned and operated by *EBI*, this boat is designed to facilitate general requirements of oil field work including, but not limited to, platform construction and maintenance, flow line construction, well maintenance, field production maintenance, seismic drilling and recording, surveying, and equipment movement and lifting. This boat, and similar ones in this category, is USCG inspected and certified. Subject to availability, all boats are ready for charter.



<b>EQUIPMENT</b>				<b>MAXIMUMS &amp; MINIMUMS</b>			
10 ton crane w/60 ft. boom load line and fast line		1		Maximum water depth		45 ft.	
5 ton crane w/40 ft. boom		1		Minimum water depth		4 ft.	
Crane load rated		10 ft. Radius		Maximum wave depth		6 ft.	
Detroit Diesel w/Twin Disc MG509 (2:1 ratio) reverse gears		2					
<b>SPEEDS &amp; CAPACITIES</b>				<b>NAVIGATION EQUIPMENT</b>			
Traveling speed	8 knots	Fuel capacity	1200 gallons	VHF Radio	1	Radar	1
Elevating speed	16 ft./min.	Water capacity	800 gallons	Compass	1		
Open deck area	1000 sq. ft.			Company Radio and/or Cellular Telephone can be installed.			

EBI PRODUCTS AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE OR OBLIGATIONS.

### **ELEVATING BOATS LLC**

*EBI* Liftboats, LLC. - 124 Finish Line Lane - Houma, LA 70360

Phone: (985) 868-9655 Fax: (985) 868-9656


Email: [postmaster@ebi-inc.com](mailto:postmaster@ebi-inc.com)



Website: [www.ebi-inc.com](http://www.ebi-inc.com)

# 24' Wide X 65' (B) Long Elevating Boat

## Cabin and Deck Layout



### SPECIFICATIONS

**60,000 lb. Deckload Capacity / Cabin Located on Bow / 2 Cranes**

<b><i>DIMENSIONS:</i></b>		<b><i>ELEVATING:</i></b>		<b><i>CAPACITIES:</i></b>	
Length of hull	65 feet	Maximum leg extension, bottom of hull to bottom of pad	(B)	Fuel	1200 gallons
Beam of hull	24 feet			Feet	Potable water
Depth of hull	4.5 feet	Maximum working water depth	(C)	<b><i>LIVING QUARTERS:</i></b>	
Length overall	73 feet	Recommended air gap allowed	6 feet	Bunks for boat crew	2
Beam overall	39 feet	Maximum sea conditions	6 feet	Bunks for work crew	(G)
Draft	4 feet	Speed elevating	16 feet/min.	Shower (s)	1
Open deck area (approximately)	1000 sq. feet	<b><i>PROPULSIONS:</i></b>		Lavatory (s)	2
<b><i>LEGS:</i></b>		Main engines (twin screw)	(D)	Commode (s)	1
Number	3	Rated horsepower per engine	(E)	Microwave	1
Length overall (including pad)	(A) feet	Reduction gears Twin Disc MG509	2:1 ratio	Refrigerator	1
Diameter	24 inches	Speed underway (approximately)	8 knots	Stove w/oven	1
Wall thickness	.375 inches	Fuel usage at maximum RPM (gallons/hour/engine)	(F)	Sink	1
<b><i>PADS:</i></b>		<b><i>GENERATORS:</i></b>		Television w/VCR	1
Length overall	20 feet	Number	1	Personal lockers	8
Width overall	7 feet	Engine	Isuzu 4BG1	Galley is equipped to cater	Yes
Depth overall	2 feet	Generator	Lima 30KW	<b><i>DECK EQUIPMENT:</i></b>	
		Fuel usage (gallons/hour)	2.25	Crane	(H)

Quarters and galley have air conditioning and heating.

#### **SCHEDULE OF ELEVATING BOATS THIS SIZE IN OUR FLEET \***

NAME	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
A.C. BROWN ELEVATOR	72	60	45	6V92	225	10	6	10 ton w/60 ft. boom / 5 ton w/40 ft.	24
ED SMITH ELEVATOR	72	60	45	6-71N	170	8	6	10 ton w/60 ft. boom / 5 ton w/40 ft.	24
JOHN PADGETT ELEVATOR	62	50	40	6V92	225	10	6	10 ton w/60 ft. boom / 5 ton w/40 ft.	24
W.G. SNYDER JR. ELEVATOR	72	60	45	6V92	225	10	6	10 ton w/65 ft. boom / 5 ton w/40 ft.	26

\*REFER TO EBI GENERAL LIFTBOAT BROCHURE FOR ADDITIONAL SCHEDULE AND SPECIFICATIONS OF ELEVATING BOATS.

